

research note



ABOUT THE CENTER

The **Center for Business and Economic Research** is an award-winning economic policy and forecasting research center housed within Ball State University's Miller College of Business. CBER research encompasses health care, public finance, regional economics, transportation and energy sector studies.

Visit the center online at
www.bsu.edu/cber

ABOUT THE STUDY

This study was funded- in part- by a US Department of Health and Human Services, Health Resources and Services Administration, Traumatic Brain Injury Implementation Grant - grant number H21MC06756 and through the very generous support of the Indiana Protection and Advocacy Services.

To contact the authors:
Kerry Anne McGeary
kmcgeary@bsu.edu

Michael J. Hicks
mhicks@bsu.edu

Potential Economic Impact of Resource Facilitation for Post-Traumatic Brain Injury Workforce Re-Assimilation

Ian Reid Graduate Assistant, Health Studies Institute

Kerry Anne McGeary, Ph.D. Director, Health Studies Institute

Michael J. Hicks, Ph.D. Director, Center for Business and Economic Research

INTRODUCTION

This research note provides an estimate of the potential economic impact of Resource Facilitation (RF) on traumatic brain injury (TBI) patients in Indiana. We simulate the economic impact of this intervention on the estimated population of traumatic brain injury patients in Indiana per year and provide estimates of the earnings losses associated with TBI associated long-term disability. These losses will, potentially, be avoided as a result of RF interventions.

METHOD & ESTIMATION ISSUES

A major benefit of RF is return to work. A recent randomized clinical trial describes those who were treated with RF versus a control group were significantly more likely to return to work.³ Therefore, in order to quantify the economic impact of RF in Indiana, we begin by modeling the potential annual workforce loss due to TBI-related long-term disability. Then, we can estimate a portion of the economic impact of RF by comparing the lost earnings of TBI patients who were and were not treated with RF. This estimate is a lower bound estimate of the total economic impact. Further discussions will provide estimates of the economic value of additional considerations such as fringe benefits, Medicare/Medicaid costs, and state-level taxes.

ESTIMATION OF THE INCIDENCE OF TBI RESULTING IN LONG-TERM DISABILITY IN INDIANA

Indiana-specific data regarding incidence of TBI-related long-term disability were not readily available. Therefore, national statistics (as described below) were adjusted by a weight of Indiana's population relative to the United States' population to determine the incidence of TBI-related long-term disability in Indiana. The national incidence data was drawn from various sources: specific national statistics for the annual number of TBI-related long-term disabilities; national estimates of the annual number of TBI-related long term disability by age, gender and level of disability; the national statistics of the number of hospitalizations associated with TBI-related long-term disability annually.

ESTIMATION OF WAGES LOST IN INDIANA DUE TO TBI-RELATED LONG-TERM DISABILITY

Methodology 1: The first estimate we provide is a baseline estimate of the potential annual earnings applicable to those in Indiana who suffer a long-term disability due to TBI. This estimation has two parts. First, we use the estimation of TBI incidence in Indiana, as previously described, to estimate the annual workforce loss. Data indicating the number of persons who return to work

with and without RF treatment in conjunction with employment statistics for persons before suffering a TBI are used to adjust the Indiana TBI incidence. Next, we adjust the workforce loss estimation by average annual earnings of an Indiana resident to estimate the annual amount of wages lost due to TBI-related long-term disability.

Methodology 2, Age—Education Adjusted

Estimates: To provide estimates of the wages lost in Indiana due to TBI-related long-term disability, we modify the baseline model to incorporate age and educational attainment statistics. First, national statistics for TBI incidence, by age group and education level, were adjusted for Indiana. For this method, we assume workforce eligible persons are individuals no younger than 15 and no older than 79. Another important factor included in this methodology is gender. Males are twice as likely as females to be subject to a TBI and the average male's earnings in Indiana is greater than the average female's earnings for all education attainment groups. Finally, the estimation of workforce loss is adjusted to account for those who return to work with and without RF treatment.

RESULTS

THE INCIDENCE OF TBI RESULTING IN LONG-TERM DISABILITY IN INDIANA

80,000 and 99,000 people in the United States suffer a TBI resulting in a long-term disability due to TBI annually.^{5,6,7} The aggregate TBI incidence in the United States annually is between 1,500,000 and 1,700,000.^{1,2} This range can be further categorized by injury severity as: mild, moderate, and severe. Approximately, 15%-25% of TBI are moderate to severe requiring hospitalization.^{1,3,6,10,11} Using these incidence rates Indiana's share of TBI-related long-term disability is 6,181 persons per year.

ESTIMATION OF WAGES LOST IN INDIANA DUE TO TBI-RELATED LONG-TERM DISABILITY

Methodology 1: With RF treatment, a clinical trial shows 64% are employed post-treatment; while without RF treatment, 36% are employed post-treatment.³ Therefore, on average 1,003 Indiana residents would return to work with RF treatment. The average earnings for those employed in Indiana and who are 25 years old

TABLE 1: TBI-RELATED DISABILITIES PER AGE GROUP IN INDIANA

| Age Group | Percentage | Persons | Percent Employed |
|--------------|--------------|--------------|------------------|
| 0-4 | 15.8 % | 979 | |
| 5-9 | 6.8 % | 418 | |
| 10-14 | 7.6% | 472 | |
| 15-19 | 11.0% | 680 | 36.7% |
| 20-24 | 9.6% | 591 | 65.5% |
| 25-34 | 12.5% | 770 | 77.1% |
| 35-44 | 9.6% | 595 | 77.1% |
| 45-54 | 8.0% | 497 | 77.8% |
| 55-64 | 5.0% | 311 | 61.1% |
| 65-74 | 4.2% | 262 | 23.2% |
| 75 + | 9.8% | 607 | 5.8% |
| Total | 100 % | 6,181 | |

or older is \$30,925.¹⁴ Therefore, the average economic impact of RF treatment is \$31,017,775 annually in avoided lost wages.

Methodology 2, Age—Education Adjusted Estimates: Next, the lost wages are further adjusted by age, percent employed, and educational attainment. Please see Table 1.^{1,2,14}

Adjusting by age, we assume only age groups 15-79 are workforce eligible. This results in approximately 4,313 persons per year who suffer a long-term disability due to TBI. Using the age distribution for Indiana residents affected by TBI-related long-term disability, the percentage of persons employed per age group, and the educational attainment and respective average salaries (Please see Table 2¹⁴) we estimate the potential annual earnings lost. We adjust this by the return to work rate with and without RF treatment, as previously mentioned.

To map the 15-19 and 20-24 age groups, we assumed persons in those age groups to have less than high school, high school graduate, or some college or associate's degree level of educational attainment. The average earnings for the appropriate educational attainment groups are multiplied by the number of estimated Indiana residents in the respective age groups. The individuals between 25-79 years old were appropriately distributed across each educational attainment level and the respec-

TABLE 2: EDUCATIONAL ATTAINMENT & EARNINGS OF INDIANA RESIDENTS

| Education Level | Percentage of Residents | Average Male Wages | Average Female Wages |
|------------------------------------|-------------------------|--------------------|----------------------|
| Less than high school | 14.2% | \$24,767 | \$14,259 |
| High school graduate* | 36.5% | \$34,855 | \$21,089 |
| Some college or associate's degree | 27.3% | \$41,415 | \$25,726 |
| Bachelor's Degree or higher | 14.0% | \$55,177 | \$35,480 |
| Graduate degree or higher | 7.9% | \$68,895 | \$49,401 |

*includes equivalency

tive earnings per educational attainment group were applied. Using this methodology, we estimate the average economic impact of RF treatment to be \$22,561,796 annually.

DISCUSSION

It is important to bear in mind the estimates of approximately \$31 million and \$22.5 million in additional earnings recaptured as a result of RF treatment is a very conservative, annual estimate. Further analysis could be done to illustrate additional loss by incorporating long-term projections of wages lost as opposed to only annualized estimates. This could be done utilizing age groups, similar salary estimates as in method 2, and tracking when each particular age group enters and leaves the workforce; and the present value of the flows. For example, when a 45 year old suffers a disability due to TBI, the economy forgoes roughly 20 years of their earnings. Assuming those wages are \$30,000 annually, the present value of the lost earnings is over \$1 million over the remainder of the individuals working life. Aggregating this example across our sample provides avoidable lost earnings with a present value in billions of dollars due to annual undertreated TBI in Indiana.

As previously mentioned, there are other potential losses to the state of Indiana due to the annual workforce loss that are not reflected in our estimates. For instance, the estimates do not reflect the annual losses to business tax revenues (\$10 million) or personal tax revenues (\$4.8 million) that result from workforce loss. Fringe benefits and Medicare/Medicaid costs are other examples of such losses not reflected in this research note.

This study assumes only those who suffer a long-term disability from TBI are lost from the workforce. TBI-related injuries that do not

result in a long-term disability could still cause temporary loss to the workforce. However, the current methodology implicitly makes the derived estimates more conservative.

REFERENCES

1. Centers for Disease Control and Prevention (CDC), National Center for Injury Prevention and Control (2003). Report to Congress on Mild Traumatic Brain Injury in the United States: Steps to Prevent a Serious Public Health Problem. Atlanta, GA: Centers for Disease Control and Prevention
2. Faul, M., Xu, L., Wald, M.M., Coronado, V.G. (2010). Traumatic Brain Injury in the United States: Emergency Department Visits, Hospitalizations and Deaths 2002–2006. Atlanta, GA: Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. http://www.cdc.gov/traumaticbraininjury/tbi_ed.html (accessed March 25, 2010).
3. Trexler, L.E., Trexler, L.C., Malec, J. F., Klyce, D., Parrott, D. Prospective Randomized Controlled Trial of Resource Facilitation on Community Participation and Vocational Outcome Following Brain Injury. *Head Trauma Rehabilitation*, 1-7.
4. Sosin, D.M., Sniezek, J.E., Thurman, D.J. (1996). Incidence of Mild and Moderate Brain Injury in the United States, 1991. *Brain Injury*, (10), 47–54.
5. Kraus, J. F, and MacArthur, D. L. (1996) Epidemiologic Aspects of Brain Injury. *Neurologic Clinics*, 14(2): 435-450.
6. National Institute of Neurological Disorders and Stroke. (2002, October 10). Traumatic

- Brain Injury: Hope through Research. http://www.ninds.nih.gov/disorders/tbi/detail_tbi.htm (accessed October 22, 2003).
7. National Center for Injury Prevention and Control, Centers for Disease Control and Prevention. (2003, October 8). Traumatic Brain Injury. <http://www.cdc.gov/ncipc/factsheets/tbi.htm> (accessed October 15, 2003).
 8. Jallo, J.I., Narayan, R.K. *Craniocerebral Trauma*, in: Bradley, W.G, Daroff, R.B., Fenichel, G.M. et al., eds. (2000). *Neurology in Clinical Practice*. Boston: Butterworth-Heinemann, 1055–87.
 9. Frey, L. (2003). Epidemiology of Posttraumatic Epilepsy: A Critical Review, *Epilepsia*, 44(Suppl. 10):11–17.
 10. Langlois, J.A., Kegler, S.A., Butler, J.A., et. al. (2003, June). Traumatic brain injury-related hospital discharges. *MMWR Surveillance Summary*, 52(4): 1–20.
 11. Kraus, J. F. and MacArthur, D. L. (1996) Epidemiologic Aspects of Brain Injury. *Neurologic Clinics*, 14(2): 435-450.
 12. The Traumatic Brain Injury Model Systems National Data Center. Traumatic Brain Injury Facts and Figures 2001; 7(1): 8.
 13. Brain Injury Statistics, [BrainandSpinalCord.org](http://www.brainandspinalcord.org); <http://www.brainandspinalcord.org/brain-injury/statistics.html> (accessed 2011).
 14. U.S. Census Bureau, *American Community Survey*, 2009.

CENTER FOR BUSINESS AND ECONOMIC RESEARCH RESEARCH NOTE

About the Center:

The Center for Business and Economic Research, formerly the Bureau of Business Research, is an award-winning economic policy and forecasting research center housed within Ball State University's Miller College of Business. CBER research encompasses health care, public finance, regional economics, transportation and energy sector studies. We publish the *American Journal of Business*—a peer-reviewed scholarly journal—and the *Indiana Business Bulletin*—a weekly e-newsletter with weekly commentary and regularly updated data on housing, wages, employment, consumption, exchange rates and dozens of other economic indicators that provide evidence of the direction of change in the local, state and federal economy. In addition to research, we serve as the forecasting element in the Muncie area—holding five state and federal economic forecasting roundtables.

Center for Business and Economic Research
Miller College of Business, Ball State University
Whiting Business Building, room 149 • Muncie, IN 47306
Phone: 765-285-5926 • Fax: 765-285-8024

www.bsu.edu/cber